

# MODERN CONSTRUCTION & TRADING LLC

## COMPANY PROFILE 2023

### **PROVIDE EFFECTIVE BUILDING SOLUTIONS!**

MCT Qatar is a leading provider of specialized products and services to the construction field.

### **OUR MOTIVE IS TO PROVIDE BEST FOR ALL AND FULFILL THEIR DESIRE**

Modern Construction and Trading is part of Al Mulla Group, a leading provider of engineering products and services in the Qatar Market. Founded in 2006 as 100% Qatari Company.





# HI THERE!

MCT Qatar is a leading company specialized in Steel Structure and construction building since 2006. We offer superior products and services, delivered with integrity, to our customers and able to deal with most governmental, O&G and private sectors.

MCT Qatar is leading in Epoxy Flooring, Roofing & Waterproofing System, Fit-Out and the insulation field using polyurethane foam. We have a very professional project team that does best quality and service MCT as distributor bring best of Products to be available in more range of customers in Qatar. We offer different types products in chemical industry and construction.







# ABOUT COMPANY

- Modern Construction and trading is a leading provider of specialized products and services to the construction filed.
- Modern Construction and Trading is part of Al Mulla Group, a leading provider of engineering products and services in the Qatar Market. Founded in 2006 as 100% Qatari Company.
- MCT Qatar has been active in the field of, specialized materials and services for all types of engineering projects. In addition, the company also undertook the Applications of specialized systems such as industrial and decorative flooring, concrete repair, waterproofing, etc. With this wide product and service range, the company has been able to participate in most construction projects in the state of Qatar, whether it is residential, commercial, industrial, oil & gas.
- The Company special products division has provided radiation protection to several sectors including hospitals and health care centers.
- The company logistics department provides complete supply chain solutions to its customers.
- Well qualified & experienced team
- Practice based on values & ethics,Practice based on values & ethics,Solutions for all construction needs in Qatar

# OUR VISION

---

## VISION 01

MCT Qatar aims to be the top brand they can depend on. And ensures customer trust and satisfaction with commitment to top quality service. Together with our clients, we're contributing to a more equitable and resilient world – today and for generations to come.







# OUR MISSION

---

## MISSION 01

To achieve, meets or exceeds our customers and partners' expectations each and every time by committing to the highest level of performance with integrity, creativity, and a passion for results.

As a leading spray foam insulation company, provides services to commercial and residential customers in Qatar. We are committed to bringing our customers improved energy efficiency, competitive pricing and state of the art insulation products on the marketplace today. We can spray our insulation products anywhere, from walls to attics to the underside of off grade homes. No job is too big or small because quality service is our utmost priority.



# APPLICATOR CERTIFICATES

**BUILDING TRUST**





# CERTIFICATE

FOR RECOMMENDED SIKA APPLICATORS

This is to certify that key people of the company.

## MODERN CONSTRUCTION AND TRADING

P.O.BOX 12401, DOHA, STATE OF QATAR

TEL. +974 4462 1801

Successfully passed the application training of the following Sika Products and is a Recommended Sika Applicator for:

**CEMENTITIOUS WATERPROOFING RANGE:  
SIKA TOP 107 SEAL QA, SIKA TOP 105 SEAL QA,  
SIKALASTIC 152 QA, SIKA MONOTOP 160 MIGRATING.**

This comprehensive training consisted of practical instructions about proper storage, preparation, and application of Sika products.

The recommended applicator has been provided with the relevant Sika Product Data Sheets and all other technical documentation.


This confirmation is valid until the date of expiry below and may be renewed subject to the Recommended Applicator successfully completing any training courses required by Sika. The Recommended Applicator is responsible for ensuring full compliance by its employees with Sika's guidelines, training instructions and any other requirements of third parties.

Sika is not responsible for any loss or damage suffered by any third party as a result of any acts or omissions of the Recommended Applicator arising in anyway, including but not limited to breach of contract, misrepresentation, failure to comply with applicable laws or any other tort including negligence.

Qatar, June 12, 2023, Expiry Date: December 31, 2023

  
**Hadi Bitar Adem Yayla**

Technical Manager General Manager

  
This Recommendation does not assume responsibility for the correct storage, mixing or use of these Products. Sika shall not be liable for damage to persons or property, loss of business or profit or any other direct, indirect, incidental, special or consequential damage so caused by the Recommended Applicator. Sika shall also not be responsible for use of these Products in a manner to infringe on any patent or other intellectual property rights held by others. Sika's liability is limited to the quality only of the supplied material. Any failures due to wrong application or storage not in accordance with the given guidelines as stated on the latest Technical Data Sheets, as well as structural or mechanical failures are excluded herein.

TECHNICAL

**BUILDING TRUST**



# CERTIFICATE

## FOR RECOMMENDED SIKA APPLICATORS

This is to certify that key people of the company

### **MODERN CONSTRUCTION AND TRADING**

**P.O.BOX 12401, DOHA, STATE OF QATAR**

**TEL. +974 4462 1801**

Successfully passed the application training of the following Sika Products and is a Recommended Sika Applicator for:

### **SIKA FLOORING SYSTEM:**

**SIKAFLOOR-161, -264, -3240, -359 N, -169, -304 W, PS,  
SIKADUR-504, -507**

This comprehensive training consisted of practical instructions about proper storage, preparation and application of Sika products.

The recommended applicator has been provided with the relevant Sika Product Data Sheets and all other

technical documentation.

This confirmation is valid until the date of expiry below and may be renewed subject to the Recommended Applicator successfully completing any training courses required by Sika. The Recommended Applicator is responsible for ensuring full compliance by its employees with Sika's guidelines, training instructions and any other requirements of third parties.

Sika is not responsible for any loss or damage suffered by any third party as a result of any acts or omissions of the Recommended Applicator arising in anyway, including but not limited to breach of contract, misrepresentation, failure to comply with applicable laws or any other tort including negligence.

Qatar, January 25, 2023 Expiry Date: July 31, 2023

**Fahad Faridi**

**Product Engineer – Flooring, Refurbishment and Industry**

**Adem Yayla**

**General Manager**

This Recommendation does not assume responsibility for the correct storage, mixing or use of these Products. Sika shall not be liable for damage to persons or property, loss of business or profit or any other direct, indirect, incidental, special or consequential damage so caused by the Recommended Applicator. Sika shall also not be responsible for use of these Products in a manner to infringe on any patent or other intellectual property rights held by others. Sika's liability is limited to the quality only of the supplied material. Any failures due to wrong application or storage not in accordance with the given guidelines as stated on the latest Technical Data Sheets, as well as structural or mechanical failures are excluded herein.

**BUILDING TRUST**







# APPROVED APPLICATOR CERTIFICATE

Jotun Paints certifies that **Modern Construction & Trading "MCT"** have undertaken various projects using Jotafloor Systems and conforms to the criteria required by Jotun Paints for acceptance as Jotun Approved Applicator with regard to the application of the products/systems mentioned on this certificate.

Jotun Paints will inspect the applications during surface preparation, application and on completion of the final coating.

This license is issued and remains valid based on products being applied in strict accordance with current technical data and may be revoked anytime if the correct application procedures or the quality of workmanship does not meet Jotun Paints standards.


Jotun Paints can be contacted to verify the validity of this certificate as on date.

**Alaa Abou Hamine**  
Senior Technical Sales Executive– Floor Coatings  
Protective Coatings  
Jotun Paints - Qatar.



DATE

January, 2023



# DISTRIBUTION

MODERN CONSTRUCTION AND TRADING IS ONE OF THE LEADER IN THE DISTRIBUTION FILED. WE REPRESENTS SIKA AS OUR LEADING BRAND. OUR SALES TEAM ARE FULLY QUALIFIED TO SUPPORT AND PROVIDE PRODUCTS FROM THE SIKA MATERIALS WITH HIGH LEVEL OF PROFESSIONALISM AND MARKET KNOWLEDGE USING THE WILD RANGE OF SIKA PRODUCTS.

**BUILDING TRUST**





## SEALING AND BONDING SOLUTIONS

Sl no	Item	Group	Use	Packaging
1	Sikaflex® Pro-3	Joint sealant	Sikaflex® PRO-3 is designed for movement and connection joints in floors, pedestrian and traffic areas (example: parking decks, car parks), warehouses and production areas, applications in the food industry, sewage treatment plants, tunnel construction and in clean rooms. It can be used for vertical and overhead joints.	600 mL foil pack, 20 foil packs per box Concrete Grey
2	Sikaflex® PRO-3 SL	Joint sealant	Sikaflex® PRO-3 SL is designed for horizontal applications in movement and connection joints in floors, pedestrian and traffic areas (example: parking decks, car parks), warehouses and production areas, applications in the food industry, ceramic tiles such as in public buildings etc. and floor joints in tunnel construction.	600 mL foil pack, 20 foil packs per box Concrete Grey
3	Sikacryl®-621 Fire	Joint sealant	Restores the fire resistance performance of a floor or wall which incorporates penetration services or linear seals. Can be combined with SikaSeal®-623 Fire, Sikacryl®- 624 Fire, SikaSeal®-626 Fire Board, SikaSeal®-627 Fire Collar, SikaSeal®-628 Fire Wrap and SikaSeal®-629 Fire Wrap	300 ml cartridge, 12 cartridges per box 600 ml foil pack, 12 foil packs per box White and grey
4	Sikacryl®-621 Fire	Joint sealant	Restores the fire resistance performance of a floor or wall which incorporates penetration services or linear seals. Can be combined with SikaSeal®-623 Fire, Sikacryl®- 624 Fire, SikaSeal®-626 Fire Board, SikaSeal®-627 Fire Collar, SikaSeal®-628 Fire Wrap and SikaSeal®-629 Fire Wrap	300 ml cartridge, 12 cartridges per box 600 ml foil pack, 12 foil packs per box White and grey

5	Sikaflex®-428 Precast	Joint sealant	Sikaflex®-428 Precast is designed for movement and connection joints between concrete precast elements, GRC and GRP parts. It is also suitable for masonry, concrete and block work joints, roof joints and terminations	600 mL foil pack, 20 foil packs per box White, Off-white, Concrete grey and Beige
6	Sikaflex®-118 Extreme Grab	Construction Adhesive	An adhesive to bond most construction components and materials such as: Concrete <ul style="list-style-type: none"> <li>´ Masonry</li> <li>´ Most stones</li> <li>´ Ceramic</li> <li>´ Wood</li> <li>´ Metals</li> <li>´ Glass</li> <li>´ Mirrors</li> </ul>	290 ml cartridge, 12 cartridges per box
7	Sikasil® SG-18	Structural silicone adhesive	Sikasil® SG-18 can be used as structural glazing adhesive and for other bonding applications where superior resistance to UV radiation, high temperatures and weathering is required. Bonds well to glass, metals and coated metals	Cartridge 300ml Unipack 600ml Pail 26kg Black / Grey S6
8	Sikaflex®-11 FC+	Construction Sealant & Adhesive	Sikaflex®-11 FC+ is designed as a multipurpose adhesive for indoor and outdoor bonding of window sills, thresholds, stair steps, skirting boards, base boards, crash protection boards, covering boards and prefabricated elements. Sikaflex®-11 FC+ is also suitable for soundproofing of pipes between concrete and sheathing, caulking between partitions, seam sealing, sealing in metal and wood construction and for ventilation construction.	600 mL foil pack, 20 foil packs per box Concrete Grey, White and Black



9	Sikaflex®-111 Stick & Seal	Flexible adhesive and sealant	<p>An adhesive to bond most construction components and materials such as:</p> <ul style="list-style-type: none"> <li>´ Concrete</li> <li>´ Masonry</li> <li>´ Most stones</li> <li>´ Ceramic</li> <li>´ Wood</li> <li>´ Metal</li> <li>´ Glass</li> </ul> <p>Plastics such as PVC, PA, PET and EPS/XPS</p> <p>A sealant to seal vertical and horizontal joints.</p>	290 ml cartridge, 12 cartridges per box White Concrete grey Brown Black
10	Sikaflex®-112 Crystal Clear	Transparent adhesive and sealant	<p>An adhesive to bond most construction components and materials such as:</p> <ul style="list-style-type: none"> <li>´ Concrete</li> <li>´ Masonry</li> <li>´ Most stones</li> <li>´ Ceramic</li> <li>´ Wood</li> <li>´ Metal</li> <li>´ Glass</li> <li>´ PVC</li> </ul> <p>A sealant to seal around bonded components</p>	290 ml cartridge, 12 cartridges per box
11	Sikasil®-715 WS	Weather sealant	<p>Sikasil®-715 WS is designed for weather proofing and sealing applications where durability under severe conditions is required. Sikasil®-715 WS is particularly suited for use as a weather sealant for curtain wall and metal cladding facades.</p>	300 ml cartridge, 12 cartridges per box 600 ml foil pack, 20 foil packs per box
12	SikaHyflex® 305 EU	Weather sealant	<p>SikaHyflex®-305 EU is designed for weather proofing and sealing applications where durability under severe conditions is required. SikaHyflex®-305 EU is particularly suited for use as a weather sealant for curtain wall and metal cladding facades</p>	300 mL cartridge, 25 cartridges per box 600 mL foil pack, 20 foil packs per box

# SEALING & BONDING SOLUTIONS

## OUR KEY BRANDS

### SIKAFLEX®-428 PRECAST

Sikaflex®-428 Precast is designed for movement and connection joints between concrete precast elements, GRC and GRP parts. It is also suitable for masonry, concrete and block work joints, roof joints and terminations.



### SIKAFLEX® CONSTRUCTION+

Sealing joints for:

- Facade elements
- Movement and connections
- Pre-cast elements
- Infill panels
- Cladding
- Curtain walling
- Interior and exterior use

Sealing between a range of porous and non-porous substrates



SIKAFLEX®-118 EXTREME GRAB

AN ADHESIVE TO BOND MOST CONSTRUCTION COMPONENTS AND MATERIALS SUCH AS:

- CONCRETE
- MASONRY
- MOST STONES
- CERAMIC
- WOOD
- METALS
- GLASS
- MIRRORS



REFURBISHMENT

Sl no	Item	Group	Use	Packaging
1	Sika AnchorFix®- 1N	Fast curing anchorage adhesive	<p>Sika AnchorFix®-1 N may only be used by experienced professionals. As a fast curing anchoring adhesive for all grades of: Rebars / reinforcing steel</p> <p>Threaded rods / Bolts and special fastening systems In the following substrates: Hollow and solid masonry, Hard natural stone, Solid rock</p>	300 ml standard cartridge 12 cartridges per box pallet: 84 boxes
2	SikaTop® Armatec®-110 EpoCem®	Bonding primer and reinforcement corrosion protection	<p>Suitable for control of anodic areas (Principle 11, method 11.1 EN 1504-9) Suitable in concrete repair as corrosion protection for reinforcement. Suitable as a bonding primer on concrete and mortar</p>	20 kg: A (1.14 kg) + B (2.86 kg) + C (16 kg)



3	Sika AnchorFix®-2+ Tropical	Anchoring adhesive for medium to high loads	Sika AnchorFix®-2+ Tropical may only be used by experienced professionals. As a fast curing anchoring adhesive for all grades of: Rebars / reinforcing steel, Threaded rods, Bolts and special fastening systems, Concrete, Solid masonry, Steel	300 mL standard cartridge 12 per box Pallet: 75 boxes Component A Grey Component B Off-white Component A + B mixed Light grey
4	Sika Anchorfix®-3001	High performance professional epoxy anchoring adhesive	Sika AnchorFix®-3001 may only be used by experienced professionals. For the fixing of non-expanding anchors in the following: Structural work: Rebar / steel reinforcement anchoring in new and refurbishment works, Threaded rods Bolts and special fastening / fixing systems, Metalwork, carpentry, Fixing of handrails, balustrades and supports, Fixing of railings, Fixing of window and door frames	250ml standard cartridge 12 cartridges per box pallet: 75 boxes 400 ml side by side cartridge 12 cartridges per box pallet: 60 boxes 600 ml side by side cartridge 12 cartridges per box pallet: 36 boxes

5	Sikadur®-32 Normal	Epoxy Structural Bonding agent for use at high temperatures	As a structural bonding agent and adhesive for: Concrete elements (including bonding fresh to hardened concrete)~ Hard natural stone~ Ceramics,fibre-cement~ Mortar, Bricks, Masonry~ Steel, Iron, Aluminum~ Wood~ Polyester / fiberglass and Epoxy resin materials~ Glass	5 kg (A+B) Pre-batched unit
6	SikaLatex®-100 P QA	Economical Water Resistant Bonding Agent for Mortar	SikaLatex-100 P QA is used as bonding agent and site- mix mortar admixture for the following applications: Thin layer patching mortar~ Render~ Floor screeds~ Concrete repair mortar~ Abrasion resistant linings~ Tile fixing mortar~ Masonry mortar~ Bonding slurry for fresh to old concrete	20L pails, 200 L drums White liquid
7	Sikagrout®-214 QA	Cementitious, High Early Strength, Non-Shrink Precision Grout	SikaGrout®-214 QA precision grout is used for grouting in the following:~ Machine Foundations~ Columns in pre-cast construction~ Base plates~ General concrete repairs~ Joint nosing~ Bridges bearing pads	25 kg bags Grey powder

8	Sikagrout®-114 QA	Cementitious, shrinkage compensated, general purpose grout	SikaGrout®-114 QA is used for grouting in the following: Machine foundations Columns in pre-cast construction Concrete anchors, cavities, gaps and recesses Base plates General concrete repair Bridge bearings pads	25 kg bags Grey powder
9	Sikadur®-42 MP Slow QA	3-part, multi purpose epoxy grouting system	Sikadur®-42 MP Slow QA may only be used by experienced professionals. High-strength grouting and fixing of: Starter bars Anchors Fasteners Tie rods Crash barrier posts Fence and railing posts	12 kg (A+B+C) 30 kg (A+B+C) Pre-batched unit for each Concrete Grey
10	Sika Monotop®-612 QA	Cementitious, structural repair mortar.	Sika MonoTop®-612 QA is used for structural repair work and suitable for: Restoration works, repair of spalling and damaged concrete in buildings, bridges, infrastructure and superstructure works Structural strengthening by increasing the bearing capacity of the concrete structure by adding mortar (section enlargement) Preserving or restoring passivity by increasing cover with additional mortar and replacing contaminated or carbonated concrete	25 kg bags Grey powder



11	Sika Monotop®-625 Fine QA	Cementitious mortar for protective top coat	<p>‘Pore sealer /finishing coat on cementitious substrates’ Thin layer render coat on horizontal and vertical areas in building and civil engineering construction, for external and internal finishing etc.’ Levelling mortar on uneven substrates, and profiled concrete surfaces..</p> <p>‘Fine repair mortar to fill honeycombs, pores etc..</p> <p>‘Repair mortar for repair of small defects on edges and joint sides; to form and finish joints and covings</p>	20 kg bags Grey powder
12	Sikacrete®-114 QA	Free flowing Micro-concrete for Grouting and Repair	<p>Sikacrete®-114 QA is used for the structural repair of deteriorated concrete. It is ideal for casting sections or members where the volumes required are too large for conventional grouts, and too small and inaccessible for normal concreting applications. A typical application is the re-profiling of damaged concrete members, using formwork.</p>	25 and 40 kg bags Grey powder
13	Sikadur®-31 CF Slow/Normal	Epoxy Adhesive	<p>Sikadur®-31 CF Slow/Normal may only be used by experienced professionals. As a structural adhesive and mortar for:” Concrete elements’ Hard natural stone’ Ceramics, fiber cement’ Mortar, Bricks, Masonry’ Steel, Iron, Aluminum’ Wood’Polyester, Epoxy’ Glass</p>	1 kg and 5 kg units (A+B) Normal: 6 kg (A+B) Pre-batched unit Pallets 480Kg (80X6) 1.2 kg (A+B) Pre batched unit box of 6 x 1.2 kg

14	Sika Anchorfix®-3030	Epoxy Anchoring Adhesive	<p>Sika AnchorFix®-3030 may only be used by experienced professionals. Anchoring adhesive for fixing of non-expanding anchors in the following: Structural work Rebar / steel reinforcement anchoring in new and refurbishment works Threaded rods Bolts and special fastening / fixing systems Metalwork, carpentry Handrails, balustrades and supports Railings, Window and door frames</p>	<p>Standard Cartridge (300ml x 12)/Box (75 box x 900 Cart.)/ Pallet Dual Cartridge (385ml x 12)/Box (70 box x 840 Cart.)/ Pallet (585ml x 12)/Box (56 box x 672 Cart.)/ Pallet</p>
----	----------------------	--------------------------	---	--

## OUR KEY BRANDS

### SIKADUR®-31 CF SLOW

AS A STRUCTURAL ADHESIVE AND MORTAR FOR:


- CONCRETE ELEMENTS
- HARD NATURAL STONE
- CERAMICS, FIBRE CEMENT
- MORTAR, BRICKS, MASONRY
- STEEL, IRON, ALUMINIUM
- WOOD
- POLYESTER, EPOXY
- GLASS



## SIKA ANCHORFIX®-2+ TROPICAL


AS A FAST CURING ANCHORING  
ADHESIVE FOR ALL GRADES OF:

- REBARS / REINFORCING  
STEEL
- THREADED RODS
- BOLTS AND SPECIAL  
FASTENING SYSTEMS
- CONCRETE
- SOLID MASONRY
- STEEL



## SIKA MONOTOP®-612

- For repairing all types of structures
- Suitable for application in Marine environments
- Horizontal, vertical and overhead repairs
- Hand applied repairs
- Spray applied repairs
- For exterior and interior use
- In place of R1, R2 & R3 mortars





## FLOORING

### OUR KEY BRANDS

#### SIKAFLOOR®-161

- FOR PRIMING CONCRETE SUBSTRATES, CEMENT SCREEDS AND EPOXY MORTARS
- FOR LOW TO MEDIUM ABSORBENT SUBSTRATES
- PRIMER FOR THE SIKAFLOOR®-263 SL, SIKAFLOOR®-264 ECONOMIC FLOORING SYSTEMS AND SIKALASTIC®-800 SERIES
- BINDER FOR LEVELLING MORTARS AND MORTAR SCREEDS
- INTERMEDIATE LAYER UNDERNEATH SIKAFLOOR®-263 SL AND SIKAFLOOR®-264



#### SIKAFLOOR®-264

- SIKAFLOOR®-264 IS USED AS:
- ROLLER COAT FOR CONCRETE AND CEMENT SCREEDS WITH NORMAL UP TO MEDIUM HEAVY WEAR, FOR EXAMPLE STORAGE AND ASSEMBLY HALLS, MAINTENANCE WORKSHOPS, GARAGES AND LOADING RAMPS.
- SEAL COAT FOR BROADCAST SYSTEMS, SUCH AS MULTI-STOREY AND UNDERGROUND CAR PARKS, MAINTENANCE HANGARS AND FOR WET PROCESS AREAS, FOR EXAMPLE BEVERAGE AND FOOD INDUSTRY





## BUILDING FINISHING

Sl no	Item	Group	Use	Packaging
1	Sikaceram®-117 QA	General purpose cementitious tile adhesive	<ul style="list-style-type: none"> <li>✓ Suitable for bonding high absorption ceramic tiles</li> <li>✓ Indoor application without primer over concrete, cement mortars, bricks</li> <li>✓ Suitable for floors and walls application</li> </ul>	25 KG BAG
2	Sikaceram®-118 QA	Cementitious tile adhesive for thin bed application	<ul style="list-style-type: none"> <li>✓ Laying all kind of ceramic tiles</li> <li>✓ Laying marbles and natural stone, provided not sensitive to water</li> <li>✓ Application indoor for walls and floors</li> <li>✓ Application outdoor for floors</li> <li>✓ Suitable for wet area</li> </ul>	25 kg bag
4	Lanko TileBond	Tilebond for internal and external wall and floor	For the installation of absorptive and non-absorptive wall and floor tiles for interior and exterior surfaces. Suitable for tiling on concrete, rendered brickwork and blockwork	25 kg bag

5	Lanko TTB	Latex polymer modified thin bed, waterproof bed cement adhesive.	Interior and exterior walls and floors.' Laying tiles, marble or natural stone onto concrete render; blockwork and rendered brickwork surfaces.' Waterproof, therefore can be used to lay tiles in wet areas such bathrooms etc.	25 kg bag
6	Lanko Sac 28	SAC 28 is a flexible, single component mortar adhesive.	' High bonding performance and deformability makes SAC 28+ suitable for bonding reduced porosity natural stone or tiles onto new or old suitable for bonding on submerged substrates: ponds,tanks, swimming pools, water sport centres.	25 kg bag
8	Lanko Sac 28+	Adhesive for bonding natural stone and tiles	' High bonding performance and deformability makes SAC 28+ suitable for bonding reduced porosity natural stone or tiles onto new or old suitable for bonding on submerged substrates: ponds, tanks, swimming pools, water sport centres.	25 kg bag

9	Lanko Floorbond	facades, terraces, balconies and on electric radiant	Fixing ceramic tiles, slates, marbles, granite, natural stone. Installing large size tiles on interior and exterior floors." Installing tiles on irregular substrate. Enhance with Lanko Mortaflex ECO or Lanko Davelastic for installation of large or heavy tiles, in external or in immersed.	25 kg bag
10	Lanko Colorgrout	Cementitious grouting for use as a joint fill	Suitable for wall and floor tiling in joints up to 5 mm wide. Suitable for wet areas such as swimming pools and bathrooms." In special areas like kitchens, hospitals and cleanrooms where a stain and fungal resistant joint filler is required.	20 kg bag
14	Lanko EG	Epoxy Grout	"Water cleanable, fresh grout can be easily cleaned with water eliminating expensive solvents and harsh cleaning solution that may attack the grout." Superior adhesion to wide variety of substrates." Excellent chemical resistance to dilute acids, alkalies, oils, grease, detergents, cleaning solutions, etc." High compressive, tensile, and bond strength." Can be used in contact with food or potable water	14 kg kit

## BUILDING FINISHING

### OUR KEY BRANDS

#### SIKACERAM®-117

- SUITABLE FOR BONDING HIGH ABSORPTION CERAMIC TILES
- INDOR APPLICATION WITHOUT PRIMER OVER CONCRETE, CEMENT MORTARS, BRICKS
- SUITABLE FOR FLOOR AND WALL APPLICATIONS



#### SIKACERAM®-205

- SUITABLE FOR BONDING OF HIGH ABSORPTION CERAMIC TILES, EARTHENWARE, EXTRUDED AND REFINED PORCELAIN TILES.
- SUITABLE FOR BONDING OF LARGE SIZE TILES USED IN INDUSTRIAL ENVIRONMENT, WET AREAS, SWIMMING POOLS, FACADES.
- SUITABLE FOR BATHROOMS, KITCHENS, BALCONIES, TERRACES, ETC.
- INDOOR AND OUTDOOR APPLICATION OVER CONCRETE, CEMENT MORTARS, BRICKS AND PLASTER .
- FOR HORIZONTAL AND VERTICAL AREAS .
- SUITABLE FOR MOISTURE TOLERANT NATURAL STONE.
- SUITABLE TO TILE DIRECTLY ON VARIOUS SIKI WATERPROOFING PRODUCTS





## ROOFING

### OUR KEY BRANDS

#### SIKALASTIC®-560

- FOR EXPOSED ROOF WATERPROOFING SOLUTIONS IN BOTH NEW CONSTRUCTION AND REFURBISHMENT PROJECTS
- FOR EXPOSED ROOFS WITH MANY DETAILS AND COMPLEX GEOMETRY WHEN ACCESSIBILITY IS LIMITED
- FOR COST EFFICIENT LIFE CYCLE EXTENSION OF FAILING EXPOSED ROOFS
- FOR REFLECTIVE COATING TO ENHANCE ENERGY EFFICIENCY BY REDUCING COOLING COSTS



#### SIKASHIELD® E80

THE PRODUCT IS USED AS A WATERPROOFING MEMBRANE FOR:

- BASEMENTS AND OTHER BELOW GROUND STRUCTURES
- HORIZONTAL REINFORCED CONCRETE SLABS, DECKS, PODIUMS AND PROTRUSIONS
- VERTICAL REINFORCED CONCRETE WALLS




# WATERPROOFING

## OUR KEY BRANDS

### SIKATOP®-107 SEAL

- SIKATOP®-107 SEAL AE IS USED FOR:-
- INTERIOR AND EXTERIOR WATERPROOFING AND DAMP-PROOFING OF CONCRETE, CEMENTITIOUS RENDERING, BRICKWORK AND BLOCKWORK
- CONCRETE SURFACE PROTECTION, TO IMPROVE THE DURABILITY
- RIGID WATERPROOFING OF WET AREAS/BASEMENT WALLS IN NEW CONSTRUCTION AND REFURBISHMENT
- PORE / BLOWHOLE FILLING





## SIKALASTIC®-8850

- ABRASION RESISTANT PROTECTIVE COATING IN INDUSTRIAL AND MANUFACTURING FACILITIES
- WATERPROOFING FOR CUT AND COVER STRUCTURES, SUBMERSED STRUCTURES, WALKWAYS AND BALCONIES, FLOORS AND CAR PARK DECKS
- WATER RETAINING STRUCTURES IN POWER PLANTS
- SECONDARY CONTAINMENT STRUCTURES
- TANK, BUND AND PIT LINING IN SEWAGE AND WASTE WATER TREATMENT PLANTS



# OUR TEAM

Our professional team are proficient in the SPF industry with a minimum of 17 years of applying our product range. In addition, our team are experts in Ballistics and Bomb Blast coating for Military and Security projects. Our professional team of Managers, Engineers, Sales, Application and Admin employees focuses on implementation of company's vision and policies. Our Team is composed of individuals with diverse specialized professional experience. We provide ourselves that we give a personal touch that ensures confidence to all our clients with a reputation of determining the highest level of professionalism and market knowledge you will find that our Team adds value to all our clients.





# GET IN TOUCH

## **CONTACT US:**



30002295  
40016668



[www.mctqatar.com](http://www.mctqatar.com)



[info@mctqatar.com](mailto:info@mctqatar.com)



*New industrial area, Doha Qatar*